IEM's AI Modeling: Short-term COVID-19 Projections
Date: 12/29/21

Leveraging over 15 years of support to HHS for medical consequence modeling and our proprietary artificial intelligence (AI) models, IEM believes that our Coronavirus model outputs can be used to assist localities and their medical facilities to better prepare for an increase in hospitalizations, to better plan for and locate drive-through testing facilities, and to determine where increased levels of transmission may be occurring.

We have been refining our AI model over the past month and are confident in its ability to provide accurate 7-day projections that can be used for operational and logistical planning.

AI-based Model Background

IEM is currently using an AI model to fit data from various sources and project new cases of COVID-19. We do not assume the average number of secondary infections (R-value) stays the same over time. IEM's AI model finds the best R-value over time to evaluate how it changes over the course of the outbreak. The IEM modeling team is running ~11 million simulations to fit each state's data and using the best fit for the R-value to project new cases over the next 7 days. The AI models are executed on a daily basis to evaluate the changing dynamics of the COVID-19 pandemic. Our projections have typically been within 10%, and are often within 5%, of actual confirmed cases.

The projections shown in this document are based on data pulled in as of 12/29/21 9 a.m.

Please provide any feedback or send any questions that you might have to us. We are continually updating and improving the model, so your feedback is critical.

Also, if you have more current or refined data for your State, Commonwealth or Territory that you would like IEM to factor in, please let us know.

IEM's Modeling Lead

Dr. Prasith "Sid" Baccam is a **Computational Epidemiologist expert** at IEM with more than **20 years of experience in medical consequence modeling and simulation of disease outbreaks** and medical consequences following hypothetical attacks with biological agents or emerging infectious diseases. He develops key simulation models and decision support tools at IEM, specializing in public health, disaster response, and medical countermeasures (MCM) to enhance data-driven decision making and improve modeling assumptions.

Upon receiving his **Ph.D. in Applied Mathematics and Immunobiology** at Iowa State University, Dr. Baccam worked as a Postdoctoral Research Associate at Los Alamos National Laboratory where he focused on researching viral and immunological modeling. After his stint at Los Alamos, Dr. Baccam has served as Task Lead in multiple public health projects have allowed him to develop expertise as a mathematical biologist and a leader on high-performance modeling and simulation teams.

He has worked with state and local public health officials as well as Federal agencies, including **HHS**, the Centers for Disease Control and Prevention (**CDC**), and the Department of Homeland Security (**DHS**). Dr. Baccam has published numerous papers on public health response models and implications on policy and has been invited to participate in workshops and symposiums held by the Institute of Medicine (now the National Academy of Health). His modeling results have been briefed to the **Executive Office of the President** and informed two presidential policy actions.

Kansas State Projections

	Actual Confirmed Cases On:				Projected Cases For:						
	12/25	12/26	12/27	12/28	12/29	12/30	12/31	1/1	1/2	1/3	1/4
Kansas	509,657	511,295	512,934	512,969	514,407	515,835	517,150	518,755	520,179	521,665	522,972

Note: The State's projection shows a "best estimate" curve (the solid line with circles) and the dotted lines are the upper and lower estimates around that best estimate. Our projections have typically been within 10%, and are often within 5%, of actual confirmed cases.

Kansas Counties

	Actual Confirmed Cases On:				Projected Cases For:						
	12/25	12/26	12/27	12/28	12/29	12/30	12/31	1/1	1/2	1/3	1/4
Douglas	14,289	14,289	14,289	14,289	14,358	14,435	14,509	14,584	14,663	14,742	14,829
Johnson	90,585	90,905	91,226	91,226	91,553	91,888	92,217	92,556	92,901	93,242	93,579
Leavenworth	12,061	12,087	12,113	12,113	12,143	12,173	12,202	12,230	12,259	12,288	12,317
Sedgwick	94,408	94,662	94,917	94,917	95,208	95,494	95,784	96,086	96,381	96,669	96,967
Wyandotte	31,285	31,370	31,455	31,455	31,547	31,638	31,729	31,823	31,916	32,012	32,105